

Material Safety Data Sheet



CHLORINATING TRICHLOR GRANULES

SECTION I - IDENTIFICATION

MANUFACTURER'S NAMEHaviland Consumer Products, Inc.
MANUFACTURER'S ADDRESS421 Ann St., N.W., Grand Rapids, MI 49504
PHONE NUMBER..... (616) 361-6691
EMERGENCY PHONE NUMBERCHEMTREC (800) 424-9300
EFFECTIVE DATE.....4/21/03
TRADE NAME.....**CHLORINATING TRICHLOR GRANULES**
CHEMICAL FAMILY.....Chlorinated Isocyanurates

SECTION II - HAZARDOUS INGREDIENTS

HAZARDOUS INGREDIENTS	OSHA PEL	TLV (Units)	CAS NUMBER
Trichloroisocyanuric Acid	Not Established	3 mg/m ³ =1ppm for chlorine gas STEL	87-90-1

SECTION III - PHYSICAL DATA

BOILING POINT No Information Available
FREEZING POINT 225-230°C (Decomposes)
VAPOUR PRESSURE No Information Available
VAPOUR DENSITY (air=1) No Information Available
SOLUBILITY IN H₂O..... 12 g/liter at 25°C
ODOUR AND APPEARANCE White powder; Slight Chlorine Odor
SPECIFIC GRAVITY No Information Available
pH..... 1% Solution: 2.7 - 3.3

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

FLASHPOINT AND METHOD OF DETERMINATION Will Not Burn
LOWER EXPLOSIVE LIMIT (% by Volume) Not Applicable
UPPER EXPLOSIVE LIMIT (% by Volume) Not Applicable
MEANS OF EXTINCTION..... Water and CO₂. Do not use powder based on ammonium salt and halogenous extinguishing media.
SPECIAL FIRE FIGHTING PROCEDURES..... Extinguish with large quantities of water (small amounts may aggravate situation). Product is not flammable, but may decompose at high temperatures, thus emitting toxic gases. If able, isolate unaffected drums by taking them to a well-ventilated area to consume. For small fires CO₂ extinguishers can be used.
UNUSUAL FIRE HAZARD..... Small quantities of water react with product's chlorinating composition to form hazardous quantities of nitrogen trichloride which is violently explosive. May give off toxic gases - Must use large amounts of water.

Material Safety Data Sheet

SECTION V - HEALTH HAZARD DATA

CARCINOGENICITY, REPRODUCTIVE EFFECTS None
NTP? No
IARC MONOGRAPHS? No
OVER EXPOSURE EFFECTS Eventual ulceration to skin.
PRIMARY ROUTE(S) OF ENTRY Skin Contact
SPECIFIC FIRST AID PROCEDURES In case of eye contact: Flush immediately with plenty of water for at least 15 minutes and get medical attention; for skin, wash thoroughly with soap and water; wash contaminated clothing before reuse. If irritation persists, call a doctor. If inhaled: Remove to fresh air. If swallowed: Drink milk, water or raw egg whites. Get medical attention. Do not induce vomiting.
EXPOSURE AGGRAVATED MEDICAL CONDITIONS None Currently Known

SECTION VI - REACTIVITY DATA

CHEMICAL STABILITY Stable
CONDITIONS TO AVOID Humidity and temperatures over 50°C.
INCOMPATIBLE MATERIALS Product attacks metal in general. It reacts with water in small quantities, oxidant and reducing agents, acids, alkalis, nitrogen products, ammonium salts, urea, amines, quaternary ammonium derivatives, oils, fats, peroxides, ationic tensioactives, etc.
HAZARDOUS DECOMPOSITION PRODUCTS In combination with the above-mentioned products, it decomposes and gives off a great quantity of heat, chlorine, nitrogen trichloride etc. with subsequent danger of explosion if nitrogen trichloride level is high enough.
HAZARDOUS POLYMERIZATION Will Not Occur
POLYMERIZATION AVOID Not Applicable

SECTION VII - SPILL OR LEAK PROCEDURE

LEAK AND SPILL PROCEDURES Prevent product from reaching sewage or superficial waters. If product reaches a natural watercourse, warn civil protection authorities. Sweep and fully collect spilled product. Can be re-used if not contaminated. Contaminated product must be destroyed.
WASTE DISPOSAL Use with sodium carbonate & sodium sulfite to neutralize. After dilute with a lot of water and can be poured into sewer, according to local, federal and state regulations. Dry product mix with solvents and incinerate with wash for chlorine combustion gas.

SECTION VIII - SPECIAL PROTECTION

RESPIRATORY PROTECTION NIOSH approved full facepiece with airborne exposure limits are exceeded.
VENTILATION To maintain dusts below limits.
PROTECTIVE GLOVES Rubber or other impervious materials.
EYE PROTECTION Chemical splash proof goggles.
OTHER PROTECTIVE EQUIPMENT Suitable working clothes fully protecting the body. A safety shower and eye bath should be available. For operations where spills or splashing may occur, use an impervious body covering and boots.
HANDLING PROCEDURES AND EQUIPMENT Do not produce dust. Handle far from other chemicals. Keep from ignition sources. Keep in closed container (not metallic or wooden) in a fresh, dry, ventilated place. If stored near other products, place near exit door for quick removal if necessary.

SECTION IX - SPECIAL PRECAUTIONS

Material Safety Data Sheet

HAZARD CLASS Oxidizer, 5.1, PG II
DOT SHIPPING NAME..... Trichloroisocyanuric Acid, Dry, Mixture
UN NUMBER..... UN2468
REPORTABLE QUANTITY (RQ)..... Not Listed

REFERENCES

**WARNING!! STRONG OXIDIZING AGENT -
USE DRY, CLEAN UTENSILS - KEEP
AWAY FROM NATURALLY OCCURRING
ORGANIC MATERIALS. ZZ1CLTRI**
Product is toxic for fishes and algae. It may give
off chlorine in contact with other products. Do
not flush to waterways. EPA REG.# 57787-19
HMIS RATING: H-3, F-1, R-2